

P I N K B R A N D CATALOGUE

PLASTIC LINK CHAINS
PLASTIC CHAIN POSTS
PLASTIC ACCESSORIES



Overall suitable for in -
Living
Industrial Safety
Environmental Protection

About Us1

PinkBrand

Plastic Link Chains2

6-12mm Plastic Link Chains

Featured Item

12mm Rust-like plastic link chains

Two colour plastic link chains

Two colour fluorescent plastic link chains

Acquired UL 2809 certification

Material safety certification

Plastic Chain Posts8

Type AW Chain Posts

Type W Chain Posts

Plastic Spiked Posts

Featured Item

Reflective plastic link chains & posts

Accessories12

Plastic Joining Links

Quick Links

S Hooks

SNAP Hooks

Traffic Cone Rings

Product Photos16





Our company, PINKBRAND CO., LTD., was found in 1979. Since then, we have been producing the best quality plastic products for over 40 years. PINKBRAND CO., LTD. is one of the world's leading companies producing plastic materials, specialising in plastic safety stanchions, crowd control posts, plastic link chains and other accessories.

We have a strong R&D team which helps us to obtain many patents. We offer 22 colors, various packaging methods and many different sizes. Also, there are five types of plastic chain posts available and an related accessories to well-organise crowd control, safety or other demands.

With years of experience, excellent technology and the best quality, our products are very popular, particularly in such as the US, UK, Germany, Norway, Australia, Japan and Singapore.



No.42 Chung Cheung Road, Min Hsiung Industrial District 621,
ChiaYi County, Taiwan




+886 5 221 7137



sales@pinkbrand.com



● Plastic Link Chains




6-12mm - single colour



No.	Diameter ±0.5mm	Link type	Size (mm)				Material
			A ±1mm	B ±0.8mm	C ±1mm	D ±0.8mm	
116	6.0	Short	38.2	21.5	25.6	8.8	PE
126	6.0	Long	50.6	21.0	39.0	8.0	PE
118	8.0	Short	51.0	28.0	37.0	12.0	PE
128	8.0	Long	64.5	26.0	49.5	9.0	PE
11A	10.0	Short	74.0	39.5	56.0	17.5	PE
12A	10.0	Long	80.0	33.0	61.5	14.0	PE
10C	12.0	Short	72.6	44.0	45.0	16.0	PE

6-12mm - two colours



No.	Diameter ±0.5mm	Link type	Size (mm)				Material	colour alternation (link)
			A ±1mm	B ±0.8mm	C ±1mm	D ±0.8mm		
1162	6.0	Short	37.5	22.0	25.2	9.6	PE	2+2
1172	6.0	Short	38.2	21.5	25.6	8.8	PE	13+14
1262	6.0	Long	51.0	21.0	38.8	8.0	PE	5+5
1182	8.0	Short	51.1	26.9	36.4	12.0	PE	2+2
1192	8.0	Short	51.3	28.3	37.2	12.0	PE	9+10
1282	8.0	Long	65.0	26.0	50.0	9.0	PE	6+6
12A2	10.0	Long	82.0	33.0	64.0	14.0	PE	6+6
10C2	12.0	Short	72.6	44.0	45.0	16.0	PE	2+2

S-Short link
L-Long link

S-6.0mm L-6.0mm

S-8.0mm L-8.0mm

S-10.0mm L-10.0mm

S-12.0mm

Bag



Roll



Packing

Box



Carton



Two colours chains have alternate colours for intensive eye-catching and traffic safety.

For using at traffic control zones, public works, rest areas and traffic signs for warning, danger and prohibit signs.

6mm Red and White



6mm Orange and White



6mm Green and White



6mm Blue and White



6mm Yellow and Black



▲ Two colours plastic link chains

● Featured Item

12mm Rust-like plastic link chains

For using at -
Engineering
Industry
Construct

Tensile test : 200kgf



The **rust-like surface** shows a retro-feeling chain without rust contamination.

For using at traffic control zones, public works, rest areas and traffic signs for warning, danger and prohibit signs.




Featured Item

6mm / 8mm

Two colour plastic link chains

▼ Yellow with black is common for warning signs, such as construction sites and school zones.

▼ Red with white is usually for event venues, yield areas, and banned signs.



Eco-friendly

Pass all the tests

Cadmium
Lead
Phthalates
Organotin
Organotin compounds
PAHs
233 SVHC concentration(s)

Products are TÜV Rheinland and Regulation (EC) No 1907/2006 (REACH) Annex XVII certified.



● Featured Item

6mm Two colour fluorescent plastic link chains

Our fluorescent plastic link chains is eye catching outside, well visible in daylight.



● Featured Item For environmental protection, we use recyclable materials.

Acquired UL 2809 certification

Acquiring UL ECVP 2809 (UL Environmental Claim Validation Procedure, UL ECVP) contain 100% ocean recycled plastic.




Featured Item

Material safety certification



PCR (Post consumer recycled resin), it is a material made from recycled plastic.



Post consumer resin —●



Pass all the tests

Material Safety Test


Reference to F.D.A Regulation
U.S 21 CFR Part 177.1520
Clauses (c) 1.1a

RoHS 2011/65/EU


Reference to RoHS 2011/65/EU
Annex II and amending
Directive EU 2015/863

REACH Regulation (EC) No 1907/2006

How to use Ocean plastic
and post consumer resin.




● Type AW Chain Posts



No.	Size (mm)			Weight (kg)		Material
	Height	Tube Diameter	Base Diameter	Empty	Fully Filled	
2111Z	960	65	356	1.2	4	PE
2A11Z						



● Type W Chain Posts



▲ Ball top(PE)



▲ C hook(PE)



▲ Type W base(PE)



▲ Slotted tube(PE)

No.	Size (mm)			Weight (kg)		Material
	Height	Tube Diameter	Base Diameter	Empty	Fully Filled	
21112	960	65	356	1.2	6.8	PE
2A112						



21112101



21112200



21112301



21112601



21112501



21112701



21112401



21112A63




21112B62



2A112A05



● Plastic Spiked Posts




No.	Size (mm)		depth of burying (mm)	Weight (kg)	Material
	Height	Tube Diameter			
21113	1140	65	260	0.7	PE





Featured Item

Reflective plastic link chains & posts


Two reflective strips on the post to enhance awareness and visibility.



8mm plastic link chains can be incorporated into reflective kits.




● Plastic Joining Links




No.	Joint Type	Diameter $\pm 0.6\text{mm}$	Size (mm)				Material
			A $\pm 1\text{mm}$	B $\pm 0.8\text{mm}$	C $\pm 1\text{mm}$	D $\pm 0.8\text{mm}$	
3041	1	4.0	26.5	14.0	18.0	4.1~6.1	PE
3061	1	6.0	42.0	23.0	28.5	6.5~10.0	PE
3063	3	6.0	37.5	19.0	26.0	7.0~9.0	PE
3081	1	7.5	56.2	30.5	38.0	8.0~13.5	PE
3082	2	7.5	56.2	30.5	38.0	8.0~13.5	PE
3083	3	8.0	48.0	23.5	33.0	9.0~10.0	PE

● Quick Links




No.	Diameter $\pm 0.6\text{mm}$	Size (mm)					Material
		A $\pm 1\text{mm}$	B $\pm 0.8\text{mm}$	C $\pm 1\text{mm}$	D $\pm 0.8\text{mm}$	E $\pm 1\text{mm}$	
31614	5.8	59.9	24.6	47.5	12.8	7.0	PA
31814	8.0	74.0	33.5	58.0	17.8	9.0	PA

● S Hooks



No.	Diameter $\pm 0.6\text{mm}$	Size (mm)						Material
		A $\pm 1\text{mm}$	B $\pm 0.8\text{mm}$	C $\pm 1\text{mm}$	D $\pm 0.8\text{mm}$	E $\pm 1\text{mm}$	F $\pm 1\text{mm}$	
3241	4.0	29.5	16.2	8.1	8.1	21.6		PE
3261	6.0	43.0	23.3	11.6	11.6	31.0		PE
3281	8.0	51.7	28.3	13.0	13.0	36.0		PE
3282	8.0	160.0	68.0	37.8	52.0	144.5	55.0	PP
3283	8.0	120.0	64.0	30.0	39.0	104.3	52.0	PP
3291	9.0	242.0	66.0	46.0	47.0			PP

● SNAP Hooks



No.	Size (mm)			Material
	A $\pm 1\text{mm}$	B $\pm 0.8\text{mm}$	C $\pm 1\text{mm}$	
3401	99	10	12	PA

● Plastic Joining Links



▲ Type 1



▲ Type 2 (notch)





▲ Type 3

● Quick Links




● S Hooks




● SNAP Hooks



● Traffic Cone Rings



No.	Thickness $\pm 0.6\text{mm}$	Size (mm)				Weight $\pm 1.0\text{g}$	Material
		A $\pm 1\text{mm}$	B $\pm 0.8\text{mm}$	C $\pm 1\text{mm}$	D $\pm 0.8\text{mm}$		
3301	5.7	124.0	80.5	10.0	3.0	22.0	PP



● Construction site



● Crowd control



PINKBRAND



Aesthetic & craft, a professional manufacturer of plastic chains.
Development and production go well with complete plastic parts.

